

Week 13  
Term 2  
2021



# Learning Brief

MA1

Consumer Arithmetic,  
Algebra & Matrices,  
Shape & Measurement

## Goals

Unit goals

- Understand the concepts and techniques introduced in consumer arithmetic, algebra and matrices and shape and measurement.
- Apply reasoning skills and solve practical problems.

This week:

- Encoding and decoding using a shift factor
- Encoding and decoding using matrix addition
- Encoding and decoding using matrix multiplication



## Theoretical Components

### Resources:

For this week the theory work is in the *PDF file*: Week 13 Notes & Exercises

Mathspace Lesson on Matrix Multiplication:

<https://bit.ly/3ntgT6C>

Mathspace Lesson on Applications of Matrices:

<https://bit.ly/2PsbUGC>

### Knowledge Checklist

- Encode, decode
- Shift factor
- Matrix shift
- Encoder matrix
- Decoder matrix
- Inverse matrix

## Practical Components

### Order

1. Complete the questions in the *Booklet*.
2. Complete the Investigation below.
3. Submit the questions for marking.
4. Complete the matrices quiz on Google Classroom.

## Investigation

On HawkerMaths.com – attached to the brief.

On-line Quiz

Matrices quiz on Mathspace.

## Encoding and Decoding Information

History has many accounts of the vital role that codes have played in protecting sensitive information used in wars and conspiracies. In the 1570's Mary, Queen of Scots, sent encoded messages from prison to Catholic supporters who planned to overthrow the Protestant Queen Elizabeth (Queen of England). Elizabeth was reluctant to execute her cousin Mary without direct evidence linking her to the plot. The charges were laid by the Principal Secretary, Sir Francis Walsingham. Unfortunately for Mary, Walsingham was also England's spymaster. He used an expert to break the code, and Mary was duly beheaded on February 8<sup>th</sup>, 1587.

Perhaps the most famous is the so called 'Enigma' code. During the Second World War the Germans used a machine to encode their messages. Alan Turing, a British mathematician developed the 'Bombe', a machine which eventually led to the ability to decode the German messages. This greatly helped the Allied war effort.

In the past codes usually involved swapping letters in a message for other letters. This is called **encoding** the message. It must be done using some specific pattern so that the **encoded** message can later be **decoded** by the person receiving the message.

Suppose we think of each letter as a number:

A	B	C	D	E	F	G	H	I	J	K	L	M
1	2	3	4	5	6	7	8	9	10	11	12	13
N	O	P	Q	R	S	T	U	V	W	X	Y	Z
14	15	16	17	18	19	20	21	22	23	24	25	26

The weakness of this type of code is that in the English language, *E* is the most frequent occurring letter, followed by *T* and then *A*. A table of frequencies for letters can be used to replace numbers occurring in about the same frequency and hence break the code.

### How Does it Work?

To encode a message, we could add or subtract a fixed number for each letter in our message.

This number is called a **shift factor**.

Using a shift factor of +5

"THE CAT" which is represented as (20, 8, 5, 3, 1, 20) We do not worry about the space between words.

would become (25, 13, 10, 8, 6, 25)

and so be **encoded** as YMJHFY

To **decode** such a message, we would use a shift factor of -5 so that

YMJHFY (25, 13, 10, 8, 6, 25)

would **decode** back to (20, 8, 5, 3, 1, 20) ...“THE CAT”

### Exercise Set 1

Q1. Encode the following message ATTACK AT DAWN using a shift of -5.

Note that the initial encoding gives numbers less than zero. To get around this add 26 to those numbers and then convert to a letter.

Q2. Decode the following message which was **encoded** using a shift factor of -3:

QEBPBZOBQZLABFPFQEOBB  
'spread' so

It may help to rewrite the code with the letters  
that you can more easily write the numbers

underneath.

These types of codes are easy to break as any given letter is always **encoded** with the same code letter.

A big improvement is to use a **matrix shift**.

Instead of adding or subtracting the same number each time, we can apply a matrix such as (3 -1 0 5)

which could also be written as  $\begin{bmatrix} 3 & -1 \\ 0 & 5 \end{bmatrix}$  as the shift (or encoder).

Using this method, the message to be **encoded** is grouped into fours. In each group, the first letter has 3 added, the second has 1 subtracted, the third letter is unchanged, and the fourth letter has 5 added. This procedure is repeated for each group of four letters. If the last group has less than four letters, then you only use as many elements of the matrix as you need. You do not need to add spaces at the end.

For example, using the above matrix, we would encode: "STEAL PLANS" using the algorithm

Step 1: Group the message into fours STEA| LPLA |NS |

Step 2: Write each group of four as a matrix of numbers

$$\begin{bmatrix} S & T \\ E & A \end{bmatrix} \quad \begin{bmatrix} L & P \\ L & A \end{bmatrix} \quad \begin{bmatrix} N & S \end{bmatrix}$$

$$\begin{bmatrix} 19 & 20 \\ 5 & 1 \end{bmatrix} \quad \begin{bmatrix} 12 & 16 \\ 12 & 1 \end{bmatrix} \quad \begin{bmatrix} 14 & 19 \end{bmatrix}$$

Step 3: Add the encoder matrix  $\begin{bmatrix} 3 & -1 \\ 0 & 5 \end{bmatrix}$  to each matrix to obtain

$$\begin{bmatrix} 3 & -1 \\ 0 & 5 \end{bmatrix} + \begin{bmatrix} 19 & 20 \\ 5 & 1 \end{bmatrix} = \begin{bmatrix} 22 & 19 \\ 5 & 6 \end{bmatrix}$$

$$\begin{bmatrix} 3 & -1 \\ 0 & 5 \end{bmatrix} + \begin{bmatrix} 12 & 16 \\ 12 & 1 \end{bmatrix} = \begin{bmatrix} 15 & 15 \\ 12 & 6 \end{bmatrix}$$

$$\begin{bmatrix} 3 & -1 \\ 0 & 5 \end{bmatrix} + \begin{bmatrix} 14 & 19 \end{bmatrix} = \begin{bmatrix} 17 & 18 \end{bmatrix}$$

Thus, our encoded message is

$$\begin{bmatrix} 22 & 19 \\ 5 & 6 \end{bmatrix} \quad \begin{bmatrix} 15 & 15 \\ 12 & 6 \end{bmatrix} \quad \begin{bmatrix} 17 & 18 \end{bmatrix}$$

Step 4: Convert these numbers to letters to get the **encoded** message

VSEFOOLFQR

To decode this message, you would use the **decoder matrix**. The decoder matrix is found by multiplying the encoder matrix by -1.

$$-1 \times \begin{bmatrix} 3 & -1 \\ 0 & 5 \end{bmatrix} = \begin{bmatrix} -3 & 1 \\ 0 & -5 \end{bmatrix}$$

$\begin{bmatrix} -3 & 1 \\ 0 & -5 \end{bmatrix}$  is added to each of the encoded matrices to return to the original message.

## Exercise Set 2

Q1. Encode the message "KILL THEM NOW" using the matrix shift  $\begin{bmatrix} -3 & 5 \\ 7 & 4 \end{bmatrix}$

Q2. The matrix shift  $\begin{bmatrix} 3 & -2 \\ 4 & 0 \end{bmatrix}$  was used to encode a message. The result is IYPLEYGK. Decode this message.

Q3. a) Encode the message SEND MONEY PLEASE using the encoding matrix  $\begin{bmatrix} 2 & 7 \\ 13 & 5 \end{bmatrix}$

b) What is the decoding matrix?

Q4. Create a short message. Choose an encoding matrix and encode the message. State the decoding matrix and verify that it works or better still work in pairs and get your partner to decode your message.

### Now For The Hard(er) Part

An even more effective means of encoding makes use of **matrix multiplication**. This uses the technique we learnt last week.

To encode the message FALL BACK the following steps are used.

**Step 1** Write the message using  $2 \times 2$  matrices.

$$\begin{bmatrix} \text{F} & \text{A} \\ \text{L} & \text{L} \end{bmatrix} \begin{bmatrix} \text{B} & \text{A} \\ \text{C} & \text{K} \end{bmatrix} \text{ If any gaps are left fill it with a zero.}$$

**Step 2** Replace each letter with its corresponding number from the alphabet.

$$\begin{bmatrix} 6 & 1 \\ 12 & 12 \end{bmatrix} \begin{bmatrix} 2 & 1 \\ 3 & 11 \end{bmatrix}$$

**Step 3** Now the matrix is encoded by multiplying it by encoding matrix known only to the sender and receiver.

For this example, the encoding matrix is  $\begin{bmatrix} 2 & 1 \\ 3 & 2 \end{bmatrix}$

$$\begin{bmatrix} 6 & 1 \\ 12 & 12 \end{bmatrix} \times \begin{bmatrix} 2 & 1 \\ 3 & 2 \end{bmatrix} = \begin{bmatrix} 15 & 8 \\ 60 & 36 \end{bmatrix} = \begin{bmatrix} 15 & 8 \\ 8 & 10 \end{bmatrix} \quad \begin{array}{l} \text{After} \\ \text{subtracting} \\ 26\text{'s} \\ \text{from 60 and} \\ 36 \end{array}$$

$$\begin{bmatrix} 2 & 1 \\ 3 & 11 \end{bmatrix} \times \begin{bmatrix} 2 & 1 \\ 3 & 2 \end{bmatrix} = \begin{bmatrix} 7 & 4 \\ 39 & 25 \end{bmatrix} = \begin{bmatrix} 7 & 4 \\ 13 & 25 \end{bmatrix}$$

FALL BACK in matrix form is  $\begin{bmatrix} 6 & 1 \\ 12 & 12 \end{bmatrix} \begin{bmatrix} 2 & 1 \\ 3 & 11 \end{bmatrix}$  and encodes to  $\begin{bmatrix} 15 & 8 \\ 8 & 10 \end{bmatrix} \begin{bmatrix} 7 & 4 \\ 13 & 25 \end{bmatrix}$

Which then is written 15, 8, 8, 10, 7, 4, 13, 25

This as a code becomes OHHJGDMY

### The Inverse Matrix

To decode a message we need to use the **inverse matrix**. This can be compared to multiplying a number by its

inverse eg  $2 \times \frac{1}{2} = 1$ . Multiplying a matrix by its inverse gives the equivalent of 1 in a matrix form.

This matrix

is called the **identity matrix** and is written  $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

If a matrix is of the form  $\begin{bmatrix} a & b \\ c & d \end{bmatrix}$  then the inverse matrix is found by using the rule

$$\text{Inverse matrix} = \frac{1}{ad-bc} \begin{bmatrix} d & -b \\ -c & a \end{bmatrix}$$

When applied to the matrix  $\begin{bmatrix} 2 & 1 \\ 3 & 2 \end{bmatrix}$  this becomes

$$\frac{1}{2 \times 2 - 1 \times 3} \begin{bmatrix} 2 & -1 \\ -3 & 2 \end{bmatrix} \text{ which equals } \frac{1}{1} \begin{bmatrix} 2 & -1 \\ -3 & 2 \end{bmatrix} \text{ which simplifies to } \begin{bmatrix} 2 & -1 \\ -3 & 2 \end{bmatrix}$$

Note Values of  $a, b, c, d$  were chosen so that  $ad - bc = 1$  which makes the inverse matrix simpler (no fractions)

The inverse matrix of  $\begin{bmatrix} 2 & 1 \\ 3 & 2 \end{bmatrix}$   $\begin{bmatrix} 2 & -1 \\ -3 & 2 \end{bmatrix}$  and this is the matrix needed to decode the message.

$$\text{FALL encoded to } \begin{bmatrix} 15 & 8 \\ 8 & 10 \end{bmatrix} \text{ and } \begin{bmatrix} 15 & 8 \\ 8 & 10 \end{bmatrix} \times \begin{bmatrix} 2 & -1 \\ -3 & 2 \end{bmatrix} = \begin{bmatrix} 6 & 1 \\ 12 & 12 \end{bmatrix} = \begin{bmatrix} \text{F} & \text{A} \\ \text{L} & \text{L} \end{bmatrix}$$

Luckily, there are on-line calculators which will do most of the work for you. One of these is

<https://www.mathsisfun.com/algebra/matrix-calculator.html>

### Summary

1. Organise the message into  $2 \times 2$  matrices
2. Replace the letters with numbers
3. Use an online calculator to multiply the message matrix by the encoder matrix.
4. Make sure the encoded matrix has all numbers less than 26
5. To **decode** use the online calculator to find the inverse matrix (of the encoder matrix)
6. Multiply the decoded matrix by the inverse matrix.
7. Replace the numbers with letters to get the original message.

### Exercise Set 3

For these questions you may use the online calculator (matrix multiplication).

Q1. a) Make up an 8 letter message and encode it using the encoding matrix  $\begin{bmatrix} 1 & 1 \\ 3 & 4 \end{bmatrix}$

b) What is the decoding matrix?

c) Verify that this decoding matrix takes you back to the original message.

Q2. a) Write a message and encode it using an encoding matrix of your choice.

b) Give your encoded message and the encoding matrix to another person. Include the name of this person so I can check your working.

Person you gave message to:

Person you received message from:

Decode the message you were given. Show working.



## MARKING RUBRIC

CRITERIA	EXPECTATIONS	POSS	MULT	GIVEN	TOTAL
<b>Practical</b>	Student completes practical work, including exercises and Mathspace task, of the brief to an acceptable standard set by the teacher.	2	3		/6
<b>Portfolio Task</b>	Student completes the investigation task of the week to an acceptable standard set by the teacher.	2	2		/4
<b>Reasoning and Communications</b>	Student responses are accurate and appropriate in presentation of mathematical ideas, with clear and logical working out shown.	4	-		/4
<b>Concepts and Techniques</b>	Student submitted work selects and applies appropriate mathematical techniques to solve practical problems and demonstrates proficiency in the use of mathematical facts, techniques and formulae.	4	-		/4
	<b>Submission Guidelines</b>				
<b>Timeliness</b>	Student submits the exercises, Mathspace task and investigation by the set deadline. See scoring guidelines for specific details.	2	-		/2
				<b>FINAL</b>	<b>/20</b>

### Student Reflection:

How did you go with this week's work? What was interesting? What did you find easy?  
What do you need to work on?

Mathspace task title:

Mathspace score:

## SCORING NOTES

Formatting **if necessary** for all typed/written assessments should be as follows:

Google Doc	11-12 Pt	1.15-1.5 Line Spacing	1 Space between paragraphs	Spelling and Grammar "Soft Limit"	In-Text Citations with footnotes	Title Page/Slide: <ul style="list-style-type: none"> <li>Name</li> <li>Date</li> <li>Class</li> <li>Aim</li> <li>Assessment title</li> </ul>
Slides	10-12 pt font text  14-24 pt font titles	1.0 1.15 Line Spacing	Bullet Points Preferred	Word Count per slide >100-110 "Soft Limit"	Approved Templates and Themes	
<p>If there is a <b>Timeliness</b> Criterion - Student will receive full marks for a submission on time, half marks for a submission within one week of the deadline and no marks for a submission after this without prior arrangement with the teacher. Deadline exceptions can be discussed with your teacher for special considerations.</p>						

*"Soft Limits" are not rigidly defined limits and will be assessed on a case-by-case basis. Ask for clarification for specific tasks.*

## Possible Scoring Groups are out of 2 or 4 Points.

### 2-Point Criteria

	0 Points	1 Point	2 Points
<b>2 Point Criteria</b>	Not present or able to be assessed as the required criteria	Item is presented and <b>does not meet</b> expectations for quality, rigour, or detail	Item is presented and <b>does</b> meet expectations for quality, rigour, or detail

### 4-Point Criteria

	0 Points	1 Point	2 Points	4 Points
<b>4 Point Criteria</b>	Not present or able to be assessed as the required criteria	Item is presented, but <b>does not</b> meet expectations for quality, rigour, or detail	Item is presented and <b>does</b> meet expectations for quality, rigour, or detail	Item is presented and <b>does</b> meet expectations for quality, rigour, or detail. <b>Response presented is consistently accurate and demonstrates very high level of proficiency.</b>

### Multiplier

Criteria will be combined with a **Multiplier**. While each criterion will be scored on the 0-1-2-4 scale, the multiplier will attach relevant worth to each criterion. Be aware of these multipliers and dedicate appropriate time to ensure you achieve your best result.

### Achievement Standards:

Achievement standards can be found on the BSSS course description.